


MINI-MULTIDECK IMPULSE EXPRESS

SPECIFICATION

OFM-IMPX

NAME OF CHARACTERISTIC	NOMINAL	
REFRIGERATING VOLUME, L, NOT MORE THAN	192	
INTERNAL VOLUME, L, NOT MORE THAN	238	
DISPLAY AREA, M2, NOT MORE THAN	0,56	
MASS OF UNIFORMLY LOADED PRODUCT, KG / M2, NOT MORE THAN	120	
TEMPERATURE OF THE USEFUL VOLUME, °C	FROM 0° TO +10°	
COOLING CAPACITY, W, NOT MORE THAN	810	
AC MAINS VOLTAGE, V	115	
MAXIMUM OPERATING CURRENT, A	9.3	
CURRENT FREQUENCY, HZ	60±1	
MAXIMUM POWER CONSUMPTION, W	740	
RATED POWER, W	700	
DAILY ELECTRICITY CONSUMPTION, KWH, NOT MORE THAN	10.8	
WEIGHT, KG, NOT MORE THAN:	149	
OVERALL DIMENSIONS, MM, NOT MORE THAN		
LENGTH	WIDTH	HEIGHT
623	736	1450



CANADA

UBC COOL CANADA INC
1715 MEYERSIDE DRIVE, UNIT 7-9,
MISSISSAUGA, ON, CANADA, L5T1C5

ph.: +1 (905) 629-2597
Toll Free: +1 (866) 995-9965
fax.: +1 (905) 629-2577
Email: info@beer-co.ca

USA


UBC DISTRIBUTION USA INC
65 NORTH CENTRAL DR.
O'FALLON, MO 63366


ph.: +1 (636) 379-2226
Toll Free: +1 (888) 808-9286
fax.: +1 (866) 659-8904
Email: info@beer-co.us

MÉXICO

GRUPO CERVECERO UKRANIANO,
S.A DE C.V. TOKIO 714, PORTALES SUR,
BENITO JUÁREZ CIUDAD DE MÉXICO 03300

Tel: +52 (55) 2624 3458
Cel: +52 1 (55) 48668127
Email: s.reaskos@beer-co.com.mx





1	FRAME	7	EVAPORATOR
2	FRAME SUPPORTS	8	COMPRESSOR
3	THE SIDE OF THE GLASS	9	TOP FACEPLATE
4	SIDE PANELS	10	LOWER FRONT PANEL
5	SHELVES	11	FRONT BUMP
6	CONTROL PANEL	12	MOVIES